



# Pace

## 150SFL MAX

The new Profim task chair, Pace by ITO Design, elevates comfort and ergonomics. Engineered for modern workspaces, Pace combines personalized adjustability, advanced lumbar support, and a cutting-edge synchro mechanism for unparalleled comfort. Each feature enhances user comfort, health, and productivity throughout the day.

### Collection features:

---

- **Innovations.** The patented Synchro SFL MAX mechanism with features: seat depth adjustment and synchronous tilting of the seat and backrest improves comfort and ergonomics. Additionally, the seat forward tilt function of 6 degrees reduces pressure on the lower legs.
- **Comfort.** The innovative second-generation lumbar support depth adjustment – SmartADLS (in the mesh backrest version) – fitting entire backrest, allowing for perfect adaptation to the individual ergonomic needs of the user.
- **Personalization.** A breathable mesh backrest or fully upholstered backrest, two types of adjustable armrests, and an optional adjustable headrest provide complete control over chair settings for every user.
- **Easy to use.** Convenient resistance adjustment of the backrest with a single turn of a knob allows for quick customization of the chair to the user's weight and preferences, ensuring optimal support during work.
- **Conscious production.** Made partly from recycled and recyclable materials, without the use of staples or glue.

### Technical specifications:

---

#### Product version 150SFL MAX

Mesh

#### Mechanism

Synchro SFL MAX mechanism with a standard backrest tilt range 23° and seat tilt range 11°, along with additional features: seat depth adjustment (range 75 mm) and tilt adjustment for the seat and backrest (angle 6°). The mechanism can be locked in 5 positions.

#### Base

- 5-star base made of plastic, black (polyamide),
- 5-star aluminum base (polished aluminum),
- 5-star base made of plastic, light gray (polyamide), available only in the light gray version of the product.

#### Armrests

- P65TPU – height adjustable (range 100 mm), soft thermo polyurethane (TPU) pad,
- P66TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft thermo polyurethane (TPU) pad.

#### Gaslift

- Gas lift (standard),

- Gas lift with cushion for enhanced seating comfort (option).

### Glides / Castors

- Hard castors - for soft floors (set),
- Soft castors - for hard floors (set),
- Teflon glides - universal (set).

### Seat

- Seat structure made of polyamide with 70% recycled content, with molded polyurethane foam, density 65 kg/m<sup>3</sup>,
- Seat height adjustment (range 130 mm),
- Seat depth adjustment (range 75 mm),
- Seat tilt adjustment (angle 11°),
- User weight range from 40 to 110 kg.

### Backrest

- Flexible frame made of 70% recycled polypropylene and main frame made of 65% recycled polyamide (PA), covered with a net String, Runner, Rhythm,
- Frame color options: black and light gray,
- Innovative lumbar depth adjustment (change of backrest curvature) SmartADLS (standard),
- Lumbar support height adjustment (range 80 mm) (option).

### Additional equipment

- Hanger (HA) (option). Maximum load for the hanger is 4 kg.

### Net weight


18,5 kg

### Gross weight


22,5 kg

## Product dimensions:


---




**Dimensions of other models in the collection:**



100SFL MAX



101SFL MAX



151SFL MAX